

**Flood Control Project Maintenance
Levee Inspections
2014 Channel Summary Report
Overall Unit and Item Ratings**

Fairfield Suisun Sewer District

Laurel Creek

Overall Unit Rating	Rated Item	Item Rating
M *	Vegetation & Obstructions	M *
	Shoaling / Sedimentation	A
	Erosion / Bank Caving	A
	Revetments & Other Structural Appurtenances	A
	Encroachments	A

* Overall channel rating average is less than 0.2, however, U rated issues are present, so the overall rating is M instead of A.

Ledgewood Creek

Overall Unit Rating	Rated Item	Item Rating
A	Vegetation & Obstructions	A
	Shoaling / Sedimentation	A
	Erosion / Bank Caving	A
	Revetments & Other Structural Appurtenances	A
	Encroachments	A

McCoy Creek

Overall Unit Rating	Rated Item	Item Rating
A	Vegetation & Obstructions	M
	Shoaling / Sedimentation	A
	Erosion / Bank Caving	A
	Revetments & Other Structural Appurtenances	A
	Encroachments	A

Union Avenue Diversion

Overall Unit Rating	Rated Item	Item Rating
A	Vegetation & Obstructions	A
	Shoaling / Sedimentation	A
	Erosion / Bank Caving	A
	Revetments & Other Structural Appurtenances	A
	Encroachments	A

Flood Control Project Maintenance
Unit Cover Sheet
2014 Channel Inspection Results

Fairfield Suisun Sewer District

Channel
Laurel Creek

Channel Rating	M *
Date of Inspection	07/21/2014
DWR Inspector	John Williamson
Accompanied By	Kevin Cullen city of Fairfield

* Overall channel rating average is less than 0.2, however, U rated issues are present, so the overall rating is M instead of A.

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Cement Hill Rd / Up				
Rating **	A	Issue No.	1	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 8 : CH_2014_NA0035_15_1_20140723_00031.jpg



Looking downstream from Manual Campos Parkway towards Dickson Hill Rd. Summer 2014

Photo 2 of 8 : CH_2014_NA0035_15_1_20140723_00026.jpg



A view looking upstream from Cement Hill Rd. Summer 2014

Photo 3 of 8 : CH_2014_NA0035_15_1_20140723_00027.jpg



Looking downstream from Gulf Dr. towards Union Ave. Diversion and Cement Hill Rd. Summer 2014 (38.281994 -122.019612)

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating	
A : Acceptable	N : Not Inspected/Rated
M : Minimally Acceptable	C : Corrected
U : Unacceptable	A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Cement Hill Rd / Up (cont)				
Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 4 of 8 : CH_2014_NA0035_15_1_20140723_00028.jpg



Due to city expansion upstream I have extended my crossing. Looking upstream from Gulf Dr. Summer 2014

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			

Photo 5 of 8 : CH_2014_NA0035_15_1_20140723_00030.jpg



Looking downstream from Dickson Hill Rd. towards Gulf Dr. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Cement Hill Rd / Up (cont)				
Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 6 of 8 : CH_2014_NA0035_15_1_20140723_00032.jpg



Looking upstream from Manual Campos Parkway Summer 2014
(38.292725 -122.022666)

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			

Photo 7 of 8 : CH_2014_NA0035_15_1_20140723_00033.jpg



Debris collecting at the upstream side of bridge at Manual Campos Parkway. Need to remove and look for other debris dams downstream.
Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Cement Hill Rd / Up (cont)				
Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_1			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 8 of 8 : CH_2014_NA0035_15_1_20140723_00029.jpg



Looking downstream from Dickson Hill Dr. towards Gulf Dr. Summer 2014 (38.289815 -122.0208)

Rating **	A	Issue No.	2	GPS Lat/Long
Issue Type +	Ma	Location *		38.279936 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_2			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	3	GPS Lat/Long
Issue Type +	Ma	Location *		38.279937 °
Category	Rivers, Channels & Designated Flood			-122.018353 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_3			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Cement Hill Rd / Up (cont)			
Rating **	A	Issue No.	4
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_4		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	5
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_5		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Cement Hill Rd / Down			
Rating **	A	Issue No.	6
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_6		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_6_20140723_00034.jpg



A view looking downstream from Cement Hill Rd. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Cement Hill Rd / Down (cont)			
Rating **	A	Issue No.	6 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.279937 °
Item	Vegetation & Obstructions		-122.018353 °
DWR ID	DWR_NA0035_15_c_2012_6		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 2 of 2 : CH_2014_NA0035_15_6_20140616_00008.jpg



Looking downstream at Cement Hill Road (Summer 2013)

Rating **	A	Issue No.	7
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.279937 °
Item	Shoaling / Sedimentation		-122.018353 °
DWR ID	DWR_NA0035_15_c_2012_7		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	8
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.279937 °
Item	Erosion / Bank Caving		-122.018353 °
DWR ID	DWR_NA0035_15_c_2012_8		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Cement Hill Rd / Down (cont)			
Rating **	A	Issue No.	9
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.279937 °
Item	Revetments		-122.018354 °
DWR ID	DWR_NA0035_15_c_2012_9		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	10
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.279793 °
Item	Encroachments		-122.018267 °
DWR ID	DWR_NA0035_15_c_2012_10		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Air Base Parkway / Up			
Rating **	A	Issue No.	11
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.272637 °
Item	Vegetation & Obstructions		-122.016114 °
DWR ID	DWR_NA0035_15_c_2012_11		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_11_20140616_00009.jpg



Looking upstream at Air Base Parkway (Summer 2013)

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Air Base Parkway / Up (cont)				
Rating **	A	Issue No.	11 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.272637 °
Category	Rivers, Channels & Designated Flood			-122.016114 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_11			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_15_11_20140723_00035.jpg



Looking upstream from Air Base Pkwy. Summer 2014

Rating **	A	Issue No.	12	GPS Lat/Long
Issue Type +	Ma	Location *		38.272632 °
Category	Rivers, Channels & Designated Flood			-122.016113 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_12			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	13	GPS Lat/Long
Issue Type +	Ma	Location *		38.272632 °
Category	Rivers, Channels & Designated Flood			-122.016113 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_13			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Air Base Parkway / Up (cont)				
Rating **	A	Issue No.	14	GPS Lat/Long
Issue Type +	Ma	Location *		38.272632 °
Category	Rivers, Channels & Designated Flood			-122.016112 °
Item	Revetments			
DWR ID	DWR_NA0035_15_c_2012_14			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

Rating **	A	Issue No.	15	GPS Lat/Long
Issue Type +	Ma	Location *		38.272625 °
Category	Rivers, Channels & Designated Flood			-122.015993 °
Item	Encroachments			
DWR ID	DWR_NA0035_15_c_2012_15			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Air Base Parkway / Down				
Rating **	A	Issue No.	16	GPS Lat/Long
Issue Type +	Ma	Location *		38.272633 °
Category	Rivers, Channels & Designated Flood			-122.016110 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_16			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_15_16_20140723_00036.jpg



A view looking towards Nightingale from Air Base Pkwy. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Air Base Parkway / Down (cont)				
Rating **	A	Issue No.	16 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.272633 °
Category	Rivers, Channels & Designated Flood			-122.016110 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_16			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_15_16_20140616_00011.jpg



Looking downstream towards Nightingale at Air Base Parkway (Summer 2013)

Rating **	A	Issue No.	17	GPS Lat/Long
Issue Type +	Ma	Location *		38.272631 °
Category	Rivers, Channels & Designated Flood			-122.016111 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_17			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	18	GPS Lat/Long
Issue Type +	Ma	Location *		38.272632 °
Category	Rivers, Channels & Designated Flood			-122.016109 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_18			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Air Base Parkway / Down (cont)			
Rating **	A	Issue No. 19	GPS Lat/Long
Issue Type +	Ma	Location *	38.272631 °
Category	Rivers, Channels & Designated Flood		-122.016109 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_19		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 20	GPS Lat/Long
Issue Type +	Ma	Location *	38.272625 °
Category	Rivers, Channels & Designated Flood		-122.015993 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_20		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Meadowlark Dr / Up			
Rating **	A	Issue No. 21	GPS Lat/Long
Issue Type +	Ma	Location *	38.268244 °
Category	Rivers, Channels & Designated Flood		-122.017216 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_21		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. The palm trees should be removed.			

Photo 1 of 2 : CH_2014_NA0035_15_21_20140723_00037.jpg



Looking upstream from Meadowlark Dr. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Meadowlark Dr / Up (cont)				
Rating **	A	Issue No.	21 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.268244 °
Category	Rivers, Channels & Designated Flood			-122.017216 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_21			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. The palm trees should be removed.				

Photo 2 of 2 : CH_2014_NA0035_15_21_20140616_00012.jpg



Looking upstream at Meadowlark Drive (Summer 2013)

Rating **	A	Issue No.	22	GPS Lat/Long
Issue Type +	Ma	Location *		38.268244 °
Category	Rivers, Channels & Designated Flood			-122.017216 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_22			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	23	GPS Lat/Long
Issue Type +	Ma	Location *		38.268245 °
Category	Rivers, Channels & Designated Flood			-122.017216 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_23			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

<p>* Location LS : Land Side WS : Water Side CR : Crown</p>	<p>** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain</p>	<p>+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement</p>
--	--	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Meadowlark Dr / Up (cont)			
Rating **	A	Issue No.	24
Issue Type +	Ma	Location *	38.268245 °
Category	Rivers, Channels & Designated Flood		-122.017216 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_24		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	25
Issue Type +	Ma	Location *	38.268240 °
Category	Rivers, Channels & Designated Flood		-122.017115 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_25		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Meadowlark Dr / Down			
Rating **	A	Issue No.	26
Issue Type +	Ma	Location *	38.268245 °
Category	Rivers, Channels & Designated Flood		-122.017216 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_26		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_26_20140723_00038.jpg



A view looking downstream from Meadowlark Dr. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Meadowlark Dr / Down (cont)				
Rating **	A	Issue No.	26 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.268245 °
Category	Rivers, Channels & Designated Flood			-122.017216 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_26			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_15_26_20140616_00013.jpg



Looking downstream at Meadowlark Drive (Summer 2013)

Rating **	A	Issue No.	27	GPS Lat/Long
Issue Type +	Ma	Location *		38.268245 °
Category	Rivers, Channels & Designated Flood			-122.017216 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_27			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	28	GPS Lat/Long
Issue Type +	Ma	Location *		38.268245 °
Category	Rivers, Channels & Designated Flood			-122.017216 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_28			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Meadowlark Dr / Down (cont)			
Rating **	A	Issue No.	29
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_29		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	30
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_30		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
East Tabor Ave / Up			
Rating **	A	Issue No.	31
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_31		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. The palm trees should be removed.			

Photo 1 of 3 : CH_2014_NA0035_15_31_20140723_00040.jpg



Dried vegetation collecting at E. Tabor Bridge. Will not impede flow. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
East Tabor Ave / Up (cont)				
Rating **	A	Issue No.	31 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.265401 °
Category	Rivers, Channels & Designated Flood			-122.018316 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_31			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. The palm trees should be removed.				

Photo 2 of 3 : CH_2014_NA0035_15_31_20140723_00039.jpg



A view looking upstream from E. Tabor Ave. Summer 2014 Woody vegetation needs to be removed.

Rating **	A	Issue No.	31 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.265401 °
Category	Rivers, Channels & Designated Flood			-122.018316 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_31			

Photo 3 of 3 : CH_2014_NA0035_15_31_20140616_00014.jpg



Looking upstream at E. Tabor Avenue (Summer 2013)

Rating **	A	Issue No.	32	GPS Lat/Long
Issue Type +	Ma	Location *		38.265401 °
Category	Rivers, Channels & Designated Flood			-122.018316 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_32			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
East Tabor Ave / Up (cont)			
Rating **	A	Issue No. 33	GPS Lat/Long
Issue Type +	Ma	Location *	38.265401 °
Category	Rivers, Channels & Designated Flood		-122.018316 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_15_c_2012_33		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

Rating **	A	Issue No. 34	GPS Lat/Long
Issue Type +	Ma	Location *	38.265401 °
Category	Rivers, Channels & Designated Flood		-122.018316 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_34		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 35	GPS Lat/Long
Issue Type +	Ma	Location *	38.265262 °
Category	Rivers, Channels & Designated Flood		-122.018443 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_35		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
East Tabor Ave / Down			
Rating **	A	Issue No.	36
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		-122.018316 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_36		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_36_20140616_00015.jpg



Looking downstream at E. Tabor Avenue (Summer 2013)

Photo 2 of 2 : CH_2014_NA0035_15_36_20140723_00041.jpg



Looking downstream from E. Tabor Ave. Summer 2014

Rating **	A	Issue No.	37	GPS Lat/Long
Issue Type +	Ma	Location *		38.265401 °
Category	Rivers, Channels & Designated Flood			-122.018316 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_37			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
East Tabor Ave / Down (cont)			
Rating **	A	Issue No. 38	GPS Lat/Long
Issue Type +	Ma	Location *	38.265401 °
Category	Rivers, Channels & Designated Flood		-122.018316 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_15_c_2012_38		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

Rating **	A	Issue No. 39	GPS Lat/Long
Issue Type +	Ma	Location *	38.265401 °
Category	Rivers, Channels & Designated Flood		-122.018316 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_39		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 40	GPS Lat/Long
Issue Type +	Ma	Location *	38.265262 °
Category	Rivers, Channels & Designated Flood		-122.018443 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_40		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Matthew Rd / Up				
Rating **	A	Issue No.	41	GPS Lat/Long
Issue Type +	Ma	Location *		38.259229 °
Category	Rivers, Channels & Designated Flood			-122.017713 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_41			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_15_41_20140723_00042.jpg



Looking upstream from Matthew Rd. Summer 2014

Rating **	A	Issue No.	41 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.259229 °
Category	Rivers, Channels & Designated Flood			-122.017713 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_41			

Photo 2 of 2 : CH_2014_NA0035_15_41_20140616_00016.jpg



Looking upstream at Matthews Road (Summer 2013)

Rating **	A	Issue No.	42	GPS Lat/Long
Issue Type +	Ma	Location *		38.259272 °
Category	Rivers, Channels & Designated Flood			-122.017533 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_42			
Action/Comments				
Inspector Comments: Some shoaling or sedimentation present.				

Photo 1 of 3 : CH_2014_NA0035_15_42_20140827_00052.jpg



Corrected view of sedimentation at Matthew Rd. 8-27-2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---


**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Matthew Rd / Up (cont)				
Rating **	A	Issue No.	42 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.259272 °
Category	Rivers, Channels & Designated Flood			-122.017533 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_42			
Action/Comments				
Inspector Comments: Some shoaling or sedimentation present.				



A build up of sedimentation upstream; suggest removing it. (Summer 2013)

Rating **	A	Issue No.	42 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.259272 °
Category	Rivers, Channels & Designated Flood			-122.017533 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_42			



Sedimentation blocks flow and needs to be removed. Summer 2014

Rating **	A	Issue No.	43	GPS Lat/Long
Issue Type +	Ma	Location *		38.259230 °
Category	Rivers, Channels & Designated Flood			-122.017714 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_43			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Matthew Rd / Up (cont)			
Rating **	A	Issue No. 44	GPS Lat/Long
Issue Type +	Ma	Location *	38.259230 °
Category	Rivers, Channels & Designated Flood		-122.017714 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_44		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 45	GPS Lat/Long
Issue Type +	Ma	Location *	38.259272 °
Category	Rivers, Channels & Designated Flood		-122.017533 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_45		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Matthew Rd / Down			
Rating **	A	Issue No. 46	GPS Lat/Long
Issue Type +	Ma	Location *	38.259230 °
Category	Rivers, Channels & Designated Flood		-122.017714 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_46		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. This area is the same as upstream Railroad Avenue.			

Photo 1 of 2 : CH_2014_NA0035_15_46_20140616_00018.jpg



Looking downstream at Matthews Road (Summer 2013)

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Matthew Rd / Down (cont)				
Rating **	A	Issue No.	46 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.259230 °
Category	Rivers, Channels & Designated Flood			-122.017714 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_46			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. This area is the same as upstream Railroad Avenue.				

Photo 2 of 2 : CH_2014_NA0035_15_46_20140723_00044.jpg



Looking downstream towards the five pipes that go under the railroad from Matthews Rd. Summer 2014

Rating **	A	Issue No.	47	GPS Lat/Long
Issue Type +	Ma	Location *		38.259230 °
Category	Rivers, Channels & Designated Flood			-122.017713 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_47			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	48	GPS Lat/Long
Issue Type +	Ma	Location *		38.259230 °
Category	Rivers, Channels & Designated Flood			-122.017713 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_48			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Matthew Rd / Down (cont)			
Rating **	A	Issue No.	49
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_49		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	50
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_50		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Railroad Ave / Down			
Rating **	A	Issue No.	56
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_56		
Action/Comments			
Inspector Comments: Minimal scattered obstruction or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_56_20140616_00019.jpg



Looking downstream at Railroad Avenue. Suggest removal of woody vegetation. (Summer 2013)

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Railroad Ave / Down (cont)				
Rating **	A	Issue No.	56 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.257784 °
Category	Rivers, Channels & Designated Flood			-122.017733 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_56			
Action/Comments				
Inspector Comments: Minimal scattered obstruction or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_15_56_20140723_00045.jpg



Looking downstream from Railroad Ave. Woody vegetation has been removed. Summer 2014

Rating **	A	Issue No.	57	GPS Lat/Long
Issue Type +	Ma	Location *		38.257784 °
Category	Rivers, Channels & Designated Flood			-122.017734 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_57			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	58	GPS Lat/Long
Issue Type +	Ma	Location *		38.257784 °
Category	Rivers, Channels & Designated Flood			-122.017734 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_58			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Railroad Ave / Down (cont)			
Rating **	A	Issue No.	59
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_59		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	60
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_60		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
SunsetAve / Up			
Rating **	A	Issue No.	61
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_61		
Action/Comments			
Inspector Comments: Minimal scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_61_20140616_00020.jpg



Looking upstream at Sunset Avenue (Summer 2013)

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
SunsetAve / Up (cont)				
Rating **	A	Issue No.	61 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253421 °
Category	Rivers, Channels & Designated Flood			-122.020125 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_61			
Action/Comments				
Inspector Comments: Minimal scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_15_61_20140723_00046.jpg



Looking upstream the woody vegetation has been removed from Sunset Ave. Summer 2014

Rating **	A	Issue No.	62	GPS Lat/Long
Issue Type +	Ma	Location *		38.253421 °
Category	Rivers, Channels & Designated Flood			-122.020128 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_62			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	63	GPS Lat/Long
Issue Type +	Ma	Location *		38.253420 °
Category	Rivers, Channels & Designated Flood			-122.020123 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_63			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
SunsetAve / Up (cont)			
Rating **	A	Issue No.	64
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_64		
Action/Comments			
Inspector Comments: Riprap displacement or scouring activity. Unwanted vegetation must be cleared and sprayed with an appropriate herbicide.			

No Photos

Rating **	A	Issue No.	65
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_65		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
SunsetAve / Down			
Rating **	U	Issue No.	66
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_66		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.			

Photo 1 of 2 : CH_2014_NA0035_15_66_20140616_00021.jpg



Looking downstream at Sunset Avenue suggest removal of woody vegetation and reeds. (Summer 2013)

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
SunsetAve / Down (cont)				
Rating **	U	Issue No.	66 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253418 °
Category	Rivers, Channels & Designated Flood			-122.020125 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_66			
Action/Comments				
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.				

Photo 2 of 2 : CH_2014_NA0035_15_66_20140723_00047.jpg



Looking downstream from Sunset Ave. Woody vegetation needs to be removed blocks flow. Summer 2014

Rating **	A	Issue No.	67	GPS Lat/Long
Issue Type +	Ma	Location *		38.253419 °
Category	Rivers, Channels & Designated Flood			-122.020125 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_67			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	68	GPS Lat/Long
Issue Type +	Ma	Location *		38.253416 °
Category	Rivers, Channels & Designated Flood			-122.020124 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_68			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
SunsetAve / Down (cont)			
Rating **	M	Issue No. 69	GPS Lat/Long
Issue Type +	Ma	Location *	38.253416 °
Category	Rivers, Channels & Designated Flood		-122.020124 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_69		
Action/Comments			
Inspector Comments: No riprap displacement or scouring activity. Unwanted vegetation must be cleared and sprayed with an appropriate herbicide.			

No Photos

Rating **	A	Issue No. 70	GPS Lat/Long
Issue Type +	Ma	Location *	38.253409 °
Category	Rivers, Channels & Designated Flood		-122.020114 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_70		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Blossom Rd / Up			
Rating **	M	Issue No. 71	GPS Lat/Long
Issue Type +	Ma	Location *	38.253382 °
Category	Rivers, Channels & Designated Flood		-122.014862 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_71		
Action/Comments			
Inspector Comments: Vegetation growth, cat tails, bushes, or saplings block 25% of the channel.			

Photo 1 of 2 : CH_2014_NA0035_15_71_20140616_00022.jpg



Looking upstream at Blossom Road. Suggest removal of woody vegetation. (Summer 2013)

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Blossom Rd / Up (cont)				
Rating **	M	Issue No.	71 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253382 °
Category	Rivers, Channels & Designated Flood			-122.014862 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_71			
Action/Comments				
Inspector Comments: Vegetation growth, cat tails, bushes, or saplings block 25% of the channel.				

Photo 2 of 2 : CH_2014_NA0035_15_71_20140723_00048.jpg



Looking upstream from Blossom Rd. Some woody vegetation needs to be removed. Summer 2014

Rating **	A	Issue No.	72	GPS Lat/Long
Issue Type +	Ma	Location *		38.253324 °
Category	Rivers, Channels & Designated Flood			-122.014816 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_72			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	73	GPS Lat/Long
Issue Type +	Ma	Location *		38.253324 °
Category	Rivers, Channels & Designated Flood			-122.014816 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_73			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Blossom Rd / Up (cont)			
Rating **	M	Issue No. 74	GPS Lat/Long
Issue Type +	Ma	Location *	38.253324 °
Category	Rivers, Channels & Designated Flood		-122.014817 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_74		
Action/Comments			
Inspector Comments: No riprap displacement or scouring activity. Unwanted vegetation must be cleared and sprayed with an appropriate herbicide.			

No Photos

Rating **	A	Issue No. 75	GPS Lat/Long
Issue Type +	Ma	Location *	38.253382 °
Category	Rivers, Channels & Designated Flood		-122.014862 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_75		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Blossom Rd / Down			
Rating **	A	Issue No. 76	GPS Lat/Long
Issue Type +	Ma	Location *	38.253325 °
Category	Rivers, Channels & Designated Flood		-122.014818 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_76		
Action/Comments			
Inspector Comments: Snags, vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.			

Photo 1 of 2 : CH_2014_NA0035_15_76_20140616_00023.jpg



Looking downstream at Blossom Road. (Summer 2013)

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Blossom Rd / Down (cont)			
Rating **	A	Issue No.	76 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.253325 °
Item	Vegetation & Obstructions		-122.014818 °
DWR ID	DWR_NA0035_15_c_2012_76		
Action/Comments			
Inspector Comments: Snags, vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.			



Rating **	A	Issue No.	77
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.253324 °
Item	Shoaling / Sedimentation		-122.014818 °
DWR ID	DWR_NA0035_15_c_2012_77		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	78
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.253324 °
Item	Erosion / Bank Caving		-122.014818 °
DWR ID	DWR_NA0035_15_c_2012_78		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

<p>* Location</p> <p>LS : Land Side WS : Water Side CR : Crown</p>	<p>** Rating</p> <p>A : Acceptable M : Minimally Acceptable U : Unacceptable</p>	<p>N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain</p>	<p>+ Issue Type</p> <p>Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement</p>
---	---	--	--

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Blossom Rd / Down (cont)			
Rating **	A	Issue No.	79
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_79		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	80
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_80		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Worley Rd / Up			
Rating **	A	Issue No.	81
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_81		
Action/Comments			
Inspector Comments: Minimal scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_15_81_20140616_00024.jpg



Looking upstream at Worley Road. (Summer 2013)

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Worley Rd / Up (cont)				
Rating **	A	Issue No.	81 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253311 °
Category	Rivers, Channels & Designated Flood			-122.009841 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_15_c_2012_81			
Action/Comments				
Inspector Comments: Minimal scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_15_81_20140723_00050.jpg



A view looking upstream from Worley Rd. Summer 2014

Rating **	A	Issue No.	82	GPS Lat/Long
Issue Type +	Ma	Location *		38.253311 °
Category	Rivers, Channels & Designated Flood			-122.009841 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_15_c_2012_82			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	83	GPS Lat/Long
Issue Type +	Ma	Location *		38.253311 °
Category	Rivers, Channels & Designated Flood			-122.009841 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_15_c_2012_83			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Worley Rd / Up (cont)			
Rating **	A	Issue No. 84	GPS Lat/Long
Issue Type +	Ma	Location *	38.253311 °
Category	Rivers, Channels & Designated Flood		-122.009841 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_84		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged.			

No Photos

Rating **	A	Issue No. 85	GPS Lat/Long
Issue Type +	Ma	Location *	38.253248 °
Category	Rivers, Channels & Designated Flood		-122.009732 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_85		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Worley Rd / Down			
Rating **	A	Issue No. 86	GPS Lat/Long
Issue Type +	Ma	Location *	38.253311 °
Category	Rivers, Channels & Designated Flood		-122.009841 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_86		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.			

Photo 1 of 2 : CH_2014_NA0035_15_86_20140723_00051.jpg



A view looking downstream from Worley Rd. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Worley Rd / Down (cont)			
Rating **	A	Issue No. 86 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *	38.253311 °
Category	Rivers, Channels & Designated Flood		-122.009841 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_15_c_2012_86		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.			

Photo 2 of 2 : CH_2014_NA0035_15_86_20140616_00025.jpg



Looking downstream at Worley Road. (Summer 2013)

Rating **	A	Issue No. 87	GPS Lat/Long
Issue Type +	Ma	Location *	38.253311 °
Category	Rivers, Channels & Designated Flood		-122.009841 °
Item	Shoaling / Sedimentation		
DWR ID	DWR_NA0035_15_c_2012_87		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No. 88	GPS Lat/Long
Issue Type +	Ma	Location *	38.253311 °
Category	Rivers, Channels & Designated Flood		-122.009841 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_15_c_2012_88		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Laurel Creek	2.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Worley Rd / Down (cont)			
Rating **	A	Issue No. 89	GPS Lat/Long
Issue Type +	Ma	Location *	38.253311 °
Category	Rivers, Channels & Designated Flood		-122.009841 °
Item	Revetments		
DWR ID	DWR_NA0035_15_c_2012_89		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged.			

No Photos

Rating **	A	Issue No. 90	GPS Lat/Long
Issue Type +	Ma	Location *	38.253248 °
Category	Rivers, Channels & Designated Flood		-122.009732 °
Item	Encroachments		
DWR ID	DWR_NA0035_15_c_2012_90		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

Flood Control Project Maintenance

Unit Cover Sheet

2014 Channel Inspection Results

Fairfield Suisun Sewer District

Channel
Ledgewood Creek

Channel Rating	A
Date of Inspection	07/22/2014
DWR Inspector	John Williamson
Accompanied By	Kevin Cullen city of Fairfield

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Astoria Drive / Up				
Rating **	A	Issue No.	1	GPS Lat/Long
Issue Type +	Ma	Location *		38.256104 °
Category	Rivers, Channels & Designated Flood			-122.073648 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_1			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation.				

Photo 1 of 6 : CH_2014_NA0035_17_1_20140723_00031.jpg



The outlet from the retention basin. Woody vegetation is starting to block the channel. Summer 2014 (38.257791 -122.069683)

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.256104 °
Category	Rivers, Channels & Designated Flood			-122.073648 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_1			

Photo 2 of 6 : CH_2014_NA0035_17_1_20140616_00001.jpg



Looking at the inlet in the retention basin. Suggest removal of willow in front of grate. (Summer 2013)

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Astoria Drive / Up (cont)				
Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.256104 °
Category	Rivers, Channels & Designated Flood			-122.073648 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_1			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation.				

Photo 3 of 6 : CH_2014_NA0035_17_1_20140723_00030.jpg



The inlet from the retention basin. All woody vegetation has been removed. Summer 2014

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.256104 °
Category	Rivers, Channels & Designated Flood			-122.073648 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_1			

Photo 4 of 6 : CH_2014_NA0035_17_1_20140723_00032.jpg



Looking upstream from Astoria Dr. Trees need to be trimmed up or removed from channel. Summer 2014

Rating **	A	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.256104 °
Category	Rivers, Channels & Designated Flood			-122.073648 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_1			

Photo 5 of 6 : CH_2014_NA0035_17_1_20140616_00002.jpg



Looking upstream at Astoria Drive. (Summer 2013)

<p>* Location</p> <p>LS : Land Side WS : Water Side CR : Crown</p>	<p>** Rating</p> <p>A : Acceptable M : Minimally Acceptable U : Unacceptable</p> <p>N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain</p>	<p>+ Issue Type</p> <p>Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement</p>
---	--	--

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Astoria Drive / Up (cont)			
Rating **	A	Issue No.	1 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.256104 °
Item	Vegetation & Obstructions		-122.073648 °
DWR ID	DWR_NA0035_17_c_2012_1		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation.			



Outlet side of the pipe into Ledgewood Creek towards Astoria Drive. (Summer 2013)

Rating **	A	Issue No.	2
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.256104 °
Item	Shoaling / Sedimentation		-122.073648 °
DWR ID	DWR_NA0035_17_c_2012_2		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	3
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.256104 °
Item	Erosion / Bank Caving		-122.073648 °
DWR ID	DWR_NA0035_17_c_2012_3		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Astoria Drive / Up (cont)			
Rating **	A	Issue No. 4	GPS Lat/Long
Issue Type +	Ma	Location *	38.256104 °
Category	Rivers, Channels & Designated Flood		-122.073649 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_4		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 5	GPS Lat/Long
Issue Type +	Ma	Location *	38.256147 °
Category	Rivers, Channels & Designated Flood		-122.073892 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_5		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Astoria Drive / Down			
Rating **	A	Issue No. 6	GPS Lat/Long
Issue Type +	Ma	Location *	38.256147 °
Category	Rivers, Channels & Designated Flood		-122.073892 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_6		
Action/Comments			
Inspector Comments: Vegetation has been maintained and does not appear to impede flow.			

Photo 1 of 3 : CH_2014_NA0035_17_6_20140827_00055.jpg



Corrected view of blackberries from Astoria Drive. Aug. 27, 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Astoria Drive / Down (cont)				
Rating **	A	Issue No.	6 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.256147 °
Category	Rivers, Channels & Designated Flood			-122.073892 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_6			
Action/Comments				
Inspector Comments: Vegetation has been maintained and does not appear to impede flow.				

Photo 2 of 3 : CH_2014_NA0035_17_6_20140616_00004.jpg



Looking downstream at Astoria Drive. (Summer 2013)

Rating **	A	Issue No.	6 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.256147 °
Category	Rivers, Channels & Designated Flood			-122.073892 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_6			

Photo 3 of 3 : CH_2014_NA0035_17_6_20140723_00033.jpg



Looking downstream from Astoria Dr. Blackberries need to be removed as they will impede the flow. Summer 2014

Rating **	A	Issue No.	7	GPS Lat/Long
Issue Type +	Ma	Location *		38.256103 °
Category	Rivers, Channels & Designated Flood			-122.073650 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_7			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating	
A : Acceptable	N : Not Inspected/Rated
M : Minimally Acceptable	C : Corrected
U : Unacceptable	A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				GPS Lat/Long	No Photos
Astoria Drive / Down (cont)					
Rating **	A	Issue No.	8		
Issue Type +	Ma	Location *		38.256104 °	
Category	Rivers, Channels & Designated Flood			-122.073650 °	
Item	Erosion / Bank Caving				
DWR ID	DWR_NA0035_17_c_2012_8				
Action/Comments					
Inspector Comments: No erosion encroaching into the channel.					

Check Point / View				GPS Lat/Long	No Photos
Astoria Drive / Down (cont)					
Rating **	A	Issue No.	9		
Issue Type +	Ma	Location *		38.256104 °	
Category	Rivers, Channels & Designated Flood			-122.073649 °	
Item	Revetments				
DWR ID	DWR_NA0035_17_c_2012_9				
Action/Comments					
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.					

Check Point / View				GPS Lat/Long	No Photos
Astoria Drive / Down (cont)					
Rating **	A	Issue No.	10		
Issue Type +	Ma	Location *		38.256147 °	
Category	Rivers, Channels & Designated Flood			-122.073892 °	
Item	Encroachments				
DWR ID	DWR_NA0035_17_c_2012_10				
Action/Comments					
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.					

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Springfield Dr. / Up				
Rating **	A	Issue No.	11	GPS Lat/Long
Issue Type +	Ma	Location *		38.254594 °
Category	Rivers, Channels & Designated Flood			-122.073608 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_11			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_11_20140616_00005.jpg



Looking upstream at Springfield Drive (Summer 2013)

Rating **	A	Issue No.	11 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.254594 °
Category	Rivers, Channels & Designated Flood			-122.073608 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_11			

Photo 2 of 2 : CH_2014_NA0035_17_11_20140724_00034.jpg



A view looking upstream from Springfield Dr. Summer 2014

Rating **	A	Issue No.	12	GPS Lat/Long
Issue Type +	Ma	Location *		38.254595 °
Category	Rivers, Channels & Designated Flood			-122.073611 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_12			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Springfield Dr. / Up (cont)			
Rating **	A	Issue No. 13	GPS Lat/Long
Issue Type +	Ma	Location *	38.254595 °
Category	Rivers, Channels & Designated Flood		-122.073610 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_17_c_2012_13		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

Rating **	A	Issue No. 14	GPS Lat/Long
Issue Type +	Ma	Location *	38.254594 °
Category	Rivers, Channels & Designated Flood		-122.073609 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_14		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 15	GPS Lat/Long
Issue Type +	Ma	Location *	38.254582 °
Category	Rivers, Channels & Designated Flood		-122.073597 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_15		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Springfield Dr. / Down				
Rating **	A	Issue No.	16	GPS Lat/Long
Issue Type +	Ma	Location *		38.254594 °
Category	Rivers, Channels & Designated Flood			-122.073608 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_16			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_16_20140724_00035.jpg



A view looking downstream from Springfield Dr. towards the junction of main channel. Summer 2014

Rating **	A	Issue No.	16 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.254594 °
Category	Rivers, Channels & Designated Flood			-122.073608 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_16			

Photo 2 of 2 : CH_2014_NA0035_17_16_20140616_00007.jpg



Looking downstream at Springfield Drive. (Summer 2013)

Rating **	A	Issue No.	17	GPS Lat/Long
Issue Type +	Ma	Location *		38.254594 °
Category	Rivers, Channels & Designated Flood			-122.073610 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_17			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Springfield Dr. / Down (cont)			
Rating **	A	Issue No. 18	GPS Lat/Long
Issue Type +	Ma	Location *	38.254594 °
Category	Rivers, Channels & Designated Flood		-122.073610 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_17_c_2012_18		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

Rating **	A	Issue No. 19	GPS Lat/Long
Issue Type +	Ma	Location *	38.254594 °
Category	Rivers, Channels & Designated Flood		-122.073609 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_19		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 20	GPS Lat/Long
Issue Type +	Ma	Location *	38.254582 °
Category	Rivers, Channels & Designated Flood		-122.073597 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_20		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Rockville Road / Up				
Rating **	A	Issue No.	21	GPS Lat/Long
Issue Type +	Ma	Location *		38.249841 °
Category	Rivers, Channels & Designated Flood			-122.072646 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_21			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_21_20140724_00036.jpg



Looking upstream from Rockville Rd. Summer 2014

Photo 2 of 2 : CH_2014_NA0035_17_21_20140616_00009.jpg



Looking upstream at Rockville Road. (Summer 2013)

Rating **	A	Issue No.	21 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.249841 °
Category	Rivers, Channels & Designated Flood			-122.072646 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_21			

Rating **	A	Issue No.	22	GPS Lat/Long
Issue Type +	Ma	Location *		38.249841 °
Category	Rivers, Channels & Designated Flood			-122.072646 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_22			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating	
A : Acceptable	N : Not Inspected/Rated
M : Minimally Acceptable	C : Corrected
U : Unacceptable	A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Rockville Road / Up (cont)				
Rating **	A	Issue No.	23	GPS Lat/Long
Issue Type +	Ma	Location *		38.249841 °
Category	Rivers, Channels & Designated Flood			-122.072646 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_23			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	25	GPS Lat/Long
Issue Type +	Ma	Location *		38.249960 °
Category	Rivers, Channels & Designated Flood			-122.072670 °
Item	Encroachments			
DWR ID	DWR_NA0035_17_c_2012_25			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Rating **	C	Issue No.	24	GPS Lat/Long
Issue Type +	Ma	Location *		38.249840 °
Category	Rivers, Channels & Designated Flood			-122.072644 °
Item	Gates			
DWR ID	DWR_NA0035_17_c_2012_24			
Action/Comments				
Inspector Comments: Flap gate has been replaced.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View
Rockville Road / Up (cont)

Check Point / View				
Rockville Road / Down				
Rating **	A	Issue No.	26	GPS Lat/Long
Issue Type +	Ma	Location *		38.249840 °
Category	Rivers, Channels & Designated Flood			-122.072644 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_26			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_26_20140616_00012.jpg



Looking downstream at Rockville Road. (Summer 2013)

Photo 2 of 2 : CH_2014_NA0035_17_26_20140724_00037.jpg



Looking downstream from Rockville Rd. Summer 2014

Rating **	A	Issue No.	26 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.249840 °
Category	Rivers, Channels & Designated Flood			-122.072644 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_26			

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Rockville Road / Down (cont)				
Rating **	A	Issue No.	27	GPS Lat/Long
Issue Type +	Ma	Location *		38.249840 °
Category	Rivers, Channels & Designated Flood			-122.072645 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_27			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	28	GPS Lat/Long
Issue Type +	Ma	Location *		38.249841 °
Category	Rivers, Channels & Designated Flood			-122.072645 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_28			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	N	Issue No.	29	GPS Lat/Long
Issue Type +	Ma	Location *		38.249841 °
Category	Rivers, Channels & Designated Flood			-122.072645 °
Item	Revetments			
DWR ID	DWR_NA0035_17_c_2012_29			
Action/Comments				
Inspector Comments: This item does not apply to this inspection.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Rockville Road / Down (cont)				
Rating **	A	Issue No.	30	GPS Lat/Long
Issue Type +	Ma	Location *		38.249960 °
Category	Rivers, Channels & Designated Flood			-122.072670 °
Item	Encroachments			
DWR ID	DWR_NA0035_17_c_2012_30			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Auto Mall Parkway / Up				
Rating **	A	Issue No.	31	GPS Lat/Long
Issue Type +	Ma	Location *		38.247663 °
Category	Rivers, Channels & Designated Flood			-122.071997 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_31			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_31_20140724_00038.jpg



Upstream view from Auto Mall Pkwy. Under I-80 and homeless camp. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Auto Mall Parkway / Up (cont)			
Rating **	A	Issue No.	31 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.247663 °
Item	Vegetation & Obstructions		-122.071997 °
DWR ID	DWR_NA0035_17_c_2012_31		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 2 of 2 : CH_2014_NA0035_17_31_20140616_00013.jpg



Looking upstream under I-80 at Auto Mall Parkway. (Summer 2013)

Rating **	A	Issue No.	32
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.247663 °
Item	Shoaling / Sedimentation		-122.072105 °
DWR ID	DWR_NA0035_17_c_2012_32		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	33
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.247663 °
Item	Erosion / Bank Caving		-122.072105 °
DWR ID	DWR_NA0035_17_c_2012_33		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Auto Mall Parkway / Up (cont)			
Rating **	N	Issue No. 34	GPS Lat/Long
Issue Type +	Ma	Location *	38.247663 °
Category	Rivers, Channels & Designated Flood		-122.072105 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_34		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No. 35	GPS Lat/Long
Issue Type +	Ma	Location *	38.247722 °
Category	Rivers, Channels & Designated Flood		-122.072105 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_35		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Auto Mall Parkway / Down			
Rating **	A	Issue No. 36	GPS Lat/Long
Issue Type +	Ma	Location *	38.247663 °
Category	Rivers, Channels & Designated Flood		-122.072325 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_36		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 3 : CH_2014_NA0035_17_36_20140724_00039.jpg



Looking downstream from Auto Mall Pkwy. Summer 2014

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Auto Mall Parkway / Down (cont)				
Rating **	A	Issue No.	36 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.247663 °
Category	Rivers, Channels & Designated Flood			-122.072325 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_36			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 3 : CH_2014_NA0035_17_36_20140616_00014.jpg



A flap gate downstream at Auto Mall Parkway needs to be cleaned out and checked. (Summer 2013) Item corrected.

Photo 3 of 3 : CH_2014_NA0035_17_36_20140616_00015.jpg



Looking downstream at Auto Mall Parkway. (Summer 2013)

Rating **	A	Issue No.	36 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.247663 °
Category	Rivers, Channels & Designated Flood			-122.072325 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_36			

Rating **	A	Issue No.	37	GPS Lat/Long
Issue Type +	Ma	Location *		38.247663 °
Category	Rivers, Channels & Designated Flood			-122.072105 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_37			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Auto Mall Parkway / Down (cont)			
Rating **	A	Issue No. 38	GPS Lat/Long
Issue Type +	Ma	Location *	38.247663 °
Category	Rivers, Channels & Designated Flood		-122.072105 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_17_c_2012_38		
Action/Comments			
Inspector Comments: No erosion encroachment into the channel.			

No Photos

Rating **	N	Issue No. 39	GPS Lat/Long
Issue Type +	Ma	Location *	38.247663 °
Category	Rivers, Channels & Designated Flood		-122.072105 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_39		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No. 40	GPS Lat/Long
Issue Type +	Ma	Location *	38.247722 °
Category	Rivers, Channels & Designated Flood		-122.072105 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_40		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Woolner Avenue / Up				
Rating **	A	Issue No.	41	GPS Lat/Long
Issue Type +	Ma	Location *		38.245251 °
Category	Rivers, Channels & Designated Flood			-122.068347 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_41			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 4 : CH_2014_NA0035_17_41_20140724_00041.jpg



The inlet of the historical channel. Summer 2014

Photo 2 of 4 : CH_2014_NA0035_17_41_20140616_00016.jpg



The inlet of the historical channel. (Summer 2013)

Photo 3 of 4 : CH_2014_NA0035_17_41_20140724_00040.jpg



A view looking upstream from Woolner Ave. Summer 2014

Rating **	A	Issue No.	41 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.245251 °
Category	Rivers, Channels & Designated Flood			-122.068347 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_41			

Rating **	A	Issue No.	41 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.245251 °
Category	Rivers, Channels & Designated Flood			-122.068347 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_41			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating	
A : Acceptable	N : Not Inspected/Rated
M : Minimally Acceptable	C : Corrected
U : Unacceptable	A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Woolner Avenue / Up (cont)			
Rating **	A	Issue No.	41 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		-122.068347 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_41		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 4 of 4 : CH_2014_NA0035_17_41_20140616_00017.jpg



Looking upstream at Woolner Avenue. (Summer 2013)

Rating **	A	Issue No.	42
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		-122.068347 °
Item	Shoaling / Sedimentation		
DWR ID	DWR_NA0035_17_c_2012_42		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	43
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		-122.068347 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_17_c_2012_43		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Woolner Avenue / Up (cont)			
Rating **	A	Issue No.	44
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.245252 °
Item	Revetments		-122.068347 °
DWR ID	DWR_NA0035_17_c_2012_44		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	45
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.242275 °
Item	Encroachments		-122.070478 °
DWR ID	DWR_NA0035_17_c_2012_45		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Woolner Avenue / Down			
Rating **	A	Issue No.	46
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.245252 °
Item	Vegetation & Obstructions		-122.068347 °
DWR ID	DWR_NA0035_17_c_2012_46		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 4 : CH_2014_NA0035_17_46_20140616_00018.jpg



Looking downstream At the historical channel at Woolner Avenue. (Summer 2013)

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Woolner Avenue / Down (cont)			
Rating **	A	Issue No. 46 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *	38.245252 °
Category	Rivers, Channels & Designated Flood		-122.068347 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_46		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 2 of 4 : CH_2014_NA0035_17_46_20140724_00043.jpg



Looking downstream at the main channel from Woolner Ave. Summer 2014

Rating **	A	Issue No. 46 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *	38.245252 °
Category	Rivers, Channels & Designated Flood		-122.068347 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_46		

Photo 3 of 4 : CH_2014_NA0035_17_46_20140724_00042.jpg



Looking at the downstream side of the historical channel from Woolner Ave. Summer 2014

Rating **	A	Issue No. 46 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *	38.245252 °
Category	Rivers, Channels & Designated Flood		-122.068347 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_46		

Photo 4 of 4 : CH_2014_NA0035_17_46_20140616_00019.jpg



Looking downstream at Woolner Avenue. (Summer 2013)

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View
Woolner Avenue / Down (cont)

Rating **	A	Issue No.	47	GPS Lat/Long
Issue Type +	Ma	Location *		38.245251 °
Category	Rivers, Channels & Designated Flood			-122.068348 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_47			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	48	GPS Lat/Long
Issue Type +	Ma	Location *		38.242275 °
Category	Rivers, Channels & Designated Flood			-122.070478 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_48			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	49	GPS Lat/Long
Issue Type +	Ma	Location *		38.245251 °
Category	Rivers, Channels & Designated Flood			-122.068348 °
Item	Revetments			
DWR ID	DWR_NA0035_17_c_2012_49			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Woolner Avenue / Down (cont)			
Rating **	A	Issue No.	50
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.242275 °
Item	Encroachments		-122.070478 °
DWR ID	DWR_NA0035_17_c_2012_50		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Beck Avenue / Up			
Rating **	A	Issue No.	51
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.243683 °
Item	Vegetation & Obstructions		-122.066470 °
DWR ID	DWR_NA0035_17_c_2012_51		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 4 : CH_2014_NA0035_17_51_20140724_00045.jpg



Upstream view of the historical channel from Beck Ave. Summer 2014

Photo 2 of 4 : CH_2014_NA0035_17_51_20140616_00020.jpg



Upstream view of the historical channel at Beck Avenue. (Summer 2013)

Rating **	A	Issue No.	51 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.243683 °
Category	Rivers, Channels & Designated Flood			-122.066470 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_51			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Beck Avenue / Up (cont)				
Rating **	A	Issue No.	51 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.243683 °
Category	Rivers, Channels & Designated Flood			-122.066470 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_51			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 3 of 4 : CH_2014_NA0035_17_51_20140724_00044.jpg



A view of the upstream from Beck Ave. Summer 2014

Rating **	A	Issue No.	51 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.243683 °
Category	Rivers, Channels & Designated Flood			-122.066470 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_51			

Photo 4 of 4 : CH_2014_NA0035_17_51_20140616_00021.jpg



Looking upstream at Beck Avenue. (Summer 2013)

Rating **	A	Issue No.	52	GPS Lat/Long
Issue Type +	Ma	Location *		38.243683 °
Category	Rivers, Channels & Designated Flood			-122.066470 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_52			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating	
A : Acceptable	N : Not Inspected/Rated
M : Minimally Acceptable	C : Corrected
U : Unacceptable	A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Beck Avenue / Up (cont)			
Rating **	A	Issue No. 53	GPS Lat/Long
Issue Type +	Ma	Location *	38.243683 °
Category	Rivers, Channels & Designated Flood		-122.066470 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_17_c_2012_53		
Action/Comments			
Inspector Comments: No erosion or encroaching into the channel.			

No Photos

Rating **	A	Issue No. 54	GPS Lat/Long
Issue Type +	Ma	Location *	38.243682 °
Category	Rivers, Channels & Designated Flood		-122.066469 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_54		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 55	GPS Lat/Long
Issue Type +	Ma	Location *	38.243702 °
Category	Rivers, Channels & Designated Flood		-122.066538 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_55		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Beck Avenue / Down				
Rating **	A	Issue No.	56	GPS Lat/Long
Issue Type +	Ma	Location *		38.243682 °
Category	Rivers, Channels & Designated Flood			-122.066469 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_56			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 4 : CH_2014_NA0035_17_56_20140616_00022.jpg



A downstream view of the historical channel at Beck Avenue. (Summer 2013)

Rating **	A	Issue No.	56 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.243682 °
Category	Rivers, Channels & Designated Flood			-122.066469 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_56			

Photo 2 of 4 : CH_2014_NA0035_17_56_20140724_00046.jpg



The historical channel from Beck Ave. looking downstream. Summer 2014

Rating **	A	Issue No.	56 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.243682 °
Category	Rivers, Channels & Designated Flood			-122.066469 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_56			

Photo 3 of 4 : CH_2014_NA0035_17_56_20140724_00047.jpg



Downstream view of the main channel from Beck Ave. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Beck Avenue / Down (cont)			
Rating **	A	Issue No.	56 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.243682 °
Item	Vegetation & Obstructions		-122.066469 °
DWR ID	DWR_NA0035_17_c_2012_56		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 4 of 4 : CH_2014_NA0035_17_56_20140616_00023.jpg



Looking downstream at Beck Avenue. (Summer 2013)

Rating **	A	Issue No.	57
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.243682 °
Item	Shoaling / Sedimentation		-122.066469 °
DWR ID	DWR_NA0035_17_c_2012_57		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	58
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.243682 °
Item	Erosion / Bank Caving		-122.066469 °
DWR ID	DWR_NA0035_17_c_2012_58		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Beck Avenue / Down (cont)			
Rating **	A	Issue No.	59
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_59		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	60
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_60		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Highway 12 / Up			
Rating **	A	Issue No.	61
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_61		
Action/Comments			
Inspector Comments: Minimal scattered obstruction or vegetation. The flow is not impeded.			

Photo 1 of 4 : CH_2014_NA0035_17_61_20140724_00048.jpg



Upstream view of the main channel from Highway 12. Summer 2014

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Highway 12 / Up (cont)				
Rating **	A	Issue No.	61 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062387 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_61			
Action/Comments				
Inspector Comments: Minimal scattered obstruction or vegetation. The flow is not impeded.				



A view looking upstream of the historical channel at Highway 12. (Summer 2013)

Rating **	A	Issue No.	61 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062387 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_61			



The outlet of the historical channel looking upstream from Highway 12. Summer 2014

Rating **	A	Issue No.	61 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062387 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_61			



Looking upstream at Highway 12. (Summer 2013)

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View

Highway 12 / Up (cont)

Rating **	A	Issue No.	62	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_62			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	63	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_63			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	64	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Revetments			
DWR ID	DWR_NA0035_17_c_2012_64			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Highway 12 / Up (cont)				
Rating **	A	Issue No.	65	GPS Lat/Long
Issue Type +	Ma	Location *		38.240590 °
Category	Rivers, Channels & Designated Flood			-122.062413 °
Item	Encroachments			
DWR ID	DWR_NA0035_17_c_2012_65			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Highway 12 / Down				
Rating **	A	Issue No.	66	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_66			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_66_20140616_00026.jpg



Looking downstream at Highway 12. (Summer 2013)

Photo 2 of 2 : CH_2014_NA0035_17_66_20140724_00050.jpg



Looking downstream from Highway 12. Summer 2014

Rating **	A	Issue No.	66 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_66			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View
Highway 12 / Down (cont)

Rating **	A	Issue No.	67	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_67			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	68	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_68			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	N	Issue No.	69	GPS Lat/Long
Issue Type +	Ma	Location *		38.240567 °
Category	Rivers, Channels & Designated Flood			-122.062390 °
Item	Revetments			
DWR ID	DWR_NA0035_17_c_2012_69			
Action/Comments				
Inspector Comments: This item does not apply to this inspection.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Highway 12 / Down (cont)				
Rating **	A	Issue No.	70	GPS Lat/Long
Issue Type +	Ma	Location *		38.240590 °
Category	Rivers, Channels & Designated Flood			-122.062413 °
Item	Encroachments			
DWR ID	DWR_NA0035_17_c_2012_70			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Cordelia Road / Up				
Rating **	M	Issue No.	71	GPS Lat/Long
Issue Type +	Ma	Location *		38.233331 °
Category	Rivers, Channels & Designated Flood			-122.058608 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_71			
Action/Comments				
Inspector Comments: Vegetation growth of cattails or other obstruction impede the flow.				

Photo 1 of 2 : CH_2014_NA0035_17_71_20140616_00027.jpg



Looking upstream at Cordelia Road. (Summer 2013)

Photo 2 of 2 : CH_2014_NA0035_17_71_20140724_00053.jpg



An upstream view of the channel from Cordlia Rd. Summer 2014

Rating **	M	Issue No.	71 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.233331 °
Category	Rivers, Channels & Designated Flood			-122.058608 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_71			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View
Cordelia Road / Up (cont)

Rating **	M	Issue No.	72	GPS Lat/Long
Issue Type +	Ma	Location *		38.233330 °
Category	Rivers, Channels & Designated Flood			-122.058608 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_72			
Action/Comments				
Inspector Comments: Aquatic grasses present onshoal. No trees or brush is present on shoal, and channel flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_17_72_20140724_00052.jpg



Cattails and sedimentation at Cordelia Rd. needs to be dredged to open the channel up. Summer 2014

Rating **	M	Issue No.	72 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.233330 °
Category	Rivers, Channels & Designated Flood			-122.058608 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_72			

Photo 2 of 2 : CH_2014_NA0035_17_72_20140616_00028.jpg



Sedimentation upstream at Cordelia Road. (Summer 2013)

Rating **	A	Issue No.	73	GPS Lat/Long
Issue Type +	Ma	Location *		38.233330 °
Category	Rivers, Channels & Designated Flood			-122.058608 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_73			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Cordelia Road / Up (cont)			
Rating **	N	Issue No. 74	GPS Lat/Long
Issue Type +	Ma	Location *	38.233330 °
Category	Rivers, Channels & Designated Flood		-122.058608 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_74		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No. 75	GPS Lat/Long
Issue Type +	Ma	Location *	38.233310 °
Category	Rivers, Channels & Designated Flood		-122.058590 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_75		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Cordelia Road / Down			
Rating **	A	Issue No. 76	GPS Lat/Long
Issue Type +	Ma	Location *	38.233331 °
Category	Rivers, Channels & Designated Flood		-122.058607 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_17_c_2012_76		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_17_76_20140724_00054.jpg



A downstream view of the channel from Cordelia Rd. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View				
Cordelia Road / Down (cont)				
Rating **	A	Issue No.	76 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.233331 °
Category	Rivers, Channels & Designated Flood			-122.058607 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_17_c_2012_76			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_17_76_20140616_00029.jpg



Looking downstream towards Suisun Bay at Cordelia Road. (Summer 2013)

Rating **	A	Issue No.	77	GPS Lat/Long
Issue Type +	Ma	Location *		38.233332 °
Category	Rivers, Channels & Designated Flood			-122.058607 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_17_c_2012_77			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	78	GPS Lat/Long
Issue Type +	Ma	Location *		38.233332 °
Category	Rivers, Channels & Designated Flood			-122.058607 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_17_c_2012_78			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Ledgewood Creek	2.00	07/22/2014 07/22/2014	John Williamson

Check Point / View			
Cordelia Road / Down (cont)			
Rating **	N	Issue No.	79
Issue Type +	Ma	Location *	38.233332 °
Category	Rivers, Channels & Designated Flood		-122.058607 °
Item	Revetments		
DWR ID	DWR_NA0035_17_c_2012_79		
Action/Comments			
Inspector Comments: The item does not apply to this inspection.			

No Photos

Rating **	A	Issue No.	80
Issue Type +	Ma	Location *	38.233310 °
Category	Rivers, Channels & Designated Flood		-122.058590 °
Item	Encroachments		
DWR ID	DWR_NA0035_17_c_2012_80		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable	N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	---

Flood Control Project Maintenance

Unit Cover Sheet

2014 Channel Inspection Results

Fairfield Suisun Sewer District

Channel
McCoy Creek

Channel Rating	A
Date of Inspection	07/21/2014
DWR Inspector	John Williamson
Accompanied By	Kevin Cullen City of Fairfield

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Bella Vista Dr / Up				
Rating **	M	Issue No.	1	GPS Lat/Long
Issue Type +	Ma	Location *		38.253220 °
Category	Rivers, Channels & Designated Flood			-122.000589 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_1			
Action/Comments				
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 25% of the FCW.				

Photo 1 of 4 : CH_2014_NA0035_14_1_20140723_00011.jpg



Control structure is blocked by cattails. Remove or spray vegetation to open structure. Summer 2014

Rating **	M	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253220 °
Category	Rivers, Channels & Designated Flood			-122.000589 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_1			

Photo 2 of 4 : CH_2014_NA0035_14_1_20140616_00001.jpg



Looking upstream at Bella Vista Avenue. Cannot see control structure. Suggest removal of tulies. (Summer 2013)

Rating **	M	Issue No.	1 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253220 °
Category	Rivers, Channels & Designated Flood			-122.000589 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_1			

Photo 3 of 4 : CH_2014_NA0035_14_1_20140829_00021.jpg



View upstream after the LMA cleared vegetation, summer 2014.

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Bella Vista Dr / Up (cont)			
Rating **	M	Issue No.	1 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.253220 °
Item	Vegetation & Obstructions		-122.000589 °
DWR ID	DWR_NA0035_14_c_2012_1		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 25% of the FCW.			



Additional view upstream after the LMA cleared vegetation, summer 2014.

Rating **	A	Issue No.	2
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.253219 °
Item	Shoaling / Sedimentation		-122.000588 °
DWR ID	DWR_NA0035_14_c_2012_2		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	3
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.253220 °
Item	Erosion / Bank Caving		-122.000588 °
DWR ID	DWR_NA0035_14_c_2012_3		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Bella Vista Dr / Up (cont)			
Rating **	N	Issue No.	4
Issue Type +	Ma	Location *	38.253220 °
Category	Rivers, Channels & Designated Flood		-122.000587 °
Item	Revetments		
DWR ID	DWR_NA0035_14_c_2012_4		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No.	5
Issue Type +	Ma	Location *	38.253280 °
Category	Rivers, Channels & Designated Flood		-122.000670 °
Item	Encroachments		
DWR ID	DWR_NA0035_14_c_2012_5		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Bella Vista Dr / Down			
Rating **	M	Issue No.	6
Issue Type +	Ma	Location *	38.253219 °
Category	Rivers, Channels & Designated Flood		-122.000587 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_14_c_2012_6		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.			

Photo 1 of 3 : CH_2014_NA0035_14_6_20140616_00002.jpg



Looking downstream at Bella Vista Avenue. (Summer 2013)

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Bella Vista Dr / Down (cont)				
Rating **	M	Issue No.	6 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253219 °
Category	Rivers, Channels & Designated Flood			-122.000587 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_6			
Action/Comments				
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 50% of the FCW.				



Looking downstream at Bella Vista Ave. Woody vegetation is getting larger; need to remove. Summer 2014

Rating **	M	Issue No.	6 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.253219 °
Category	Rivers, Channels & Designated Flood			-122.000587 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_6			



View of the channel downstream during the summer 2014 after the LMA has cleared vegetation.

Rating **	A	Issue No.	7	GPS Lat/Long
Issue Type +	Ma	Location *		38.253219 °
Category	Rivers, Channels & Designated Flood			-122.000588 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_14_c_2012_7			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Bella Vista Dr / Down (cont)			
Rating **	A	Issue No. 8	GPS Lat/Long
Issue Type +	Ma	Location *	38.253219 °
Category	Rivers, Channels & Designated Flood		-122.000588 °
Item	Erosion / Bank Caving		
DWR ID	DWR_NA0035_14_c_2012_8		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

Rating **	N	Issue No. 9	GPS Lat/Long
Issue Type +	Ma	Location *	38.253220 °
Category	Rivers, Channels & Designated Flood		-122.000588 °
Item	Revetments		
DWR ID	DWR_NA0035_14_c_2012_9		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No. 10	GPS Lat/Long
Issue Type +	Ma	Location *	38.253280 °
Category	Rivers, Channels & Designated Flood		-122.000670 °
Item	Encroachments		
DWR ID	DWR_NA0035_14_c_2012_10		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Emperor Dr / Up				
Rating **	A	Issue No.	11	GPS Lat/Long
Issue Type +	Ma	Location *		38.250672 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_11			
Action/Comments				
Inspector Comments: Cattials need to be sprayed or removed at street crossing.				

Photo 1 of 4 : CH_2014_NA0035_14_11_20140723_00013.jpg



A view looking upstream from Emperor Dr. Summer 2014

Photo 2 of 4 : CH_2014_NA0035_14_11_20140616_00003.jpg



Looking upstream at Emperor Drive. (Summer 2013)

Photo 3 of 4 : CH_2014_NA0035_14_11_20140829_00023.jpg



View upstream after the LMA cleared vegetation, summer 2014. The LMA found and removed a beaver dam.

Rating **	A	Issue No.	11 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.250672 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_11			

Rating **	A	Issue No.	11 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.250672 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_11			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Emporer Dr / Up (cont)			
Rating **	A	Issue No.	11 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.250672 °
Item	Vegetation & Obstructions		-122.004419 °
DWR ID	DWR_NA0035_14_c_2012_11		
Action/Comments			
Inspector Comments: Cattials need to be sprayed or removed at street crossing.			

Photo 4 of 4 : CH_2014_NA0035_14_11_20140829_00024.jpg



Additional view upstream after the LMA cleared vegetation, summer 2014.

Rating **	A	Issue No.	12	GPS Lat/Long
Issue Type +	Ma	Location *		38.250671 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_14_c_2012_12			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	13	GPS Lat/Long
Issue Type +	Ma	Location *		38.250671 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_14_c_2012_13			
Action/Comments				
Inspector Comments: No erosion encroachment into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Emporer Dr / Up (cont)			
Rating **	N	Issue No. 14	GPS Lat/Long
Issue Type +	Ma	Location *	38.250671 °
Category	Rivers, Channels & Designated Flood		-122.004419 °
Item	Revetments		
DWR ID	DWR_NA0035_14_c_2012_14		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No. 15	GPS Lat/Long
Issue Type +	Ma	Location *	38.250738 °
Category	Rivers, Channels & Designated Flood		-122.004355 °
Item	Encroachments		
DWR ID	DWR_NA0035_14_c_2012_15		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Emporer Dr / Down			
Rating **	M	Issue No. 16	GPS Lat/Long
Issue Type +	Ma	Location *	38.250671 °
Category	Rivers, Channels & Designated Flood		-122.004419 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_14_c_2012_16		
Action/Comments			
Inspector Comments: Cattails need to be sprayed or removed at street crossing. Try to maintain 50 ft. to 100 ft. clearance.			

Photo 1 of 2 : CH_2014_NA0035_14_16_20140723_00014.jpg



Looking downstream from Emperor Dr. Need to clear vegetation 50-100 feet from roadway. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Emporer Dr / Down (cont)				
Rating **	M	Issue No.	16 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.250671 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_16			
Action/Comments				
Inspector Comments: Cattails need to be sprayed or removed at street crossing. Try to maintain 50 ft. to 100 ft. clearance.				

Photo 2 of 2 : CH_2014_NA0035_14_16_20140616_00004.jpg



Looking downstream towards the junction of Laurel Creek. (Summer 2013)

Rating **	A	Issue No.	17	GPS Lat/Long
Issue Type +	Ma	Location *		38.250671 °
Category	Rivers, Channels & Designated Flood			-122.004419 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_14_c_2012_17			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	18	GPS Lat/Long
Issue Type +	Ma	Location *		38.250671 °
Category	Rivers, Channels & Designated Flood			-122.004418 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_14_c_2012_18			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Emporer Dr / Down (cont)			
Rating **	N	Issue No.	19
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.250671 °
Item	Revetments		-122.004418 °
DWR ID	DWR_NA0035_14_c_2012_19		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No.	20
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.250738 °
Item	Encroachments		-122.004355 °
DWR ID	DWR_NA0035_14_c_2012_20		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Pintail Ave / Up			
Rating **	A	Issue No.	21
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Vegetation & Obstructions		-122.006344 °
DWR ID	DWR_NA0035_14_c_2012_21		
Action/Comments			
Inspector Comments: Minimal scattered obstruction or vegetation. The flow is not impeded. The beaver dam has been removed from the center of channel.			

Photo 1 of 2 : CH_2014_NA0035_14_21_20140723_00015.jpg



A view looking upstream from Pintail Dr. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Pintail Ave / Up (cont)			
Rating **	A	Issue No.	21 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Vegetation & Obstructions		-122.006344 °
DWR ID	DWR_NA0035_14_c_2012_21		
Action/Comments			
Inspector Comments: Minimal scattered obstruction or vegetation. The flow is not impeded. The beaver dam has been removed from the center of channel.			

Photo 2 of 2 : CH_2014_NA0035_14_21_20140616_00005.jpg



Looking upstream at Pintail Drive. (Summer 2013)

Rating **	C	Issue No.	22
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Shoaling / Sedimentation		-122.006345 °
DWR ID	DWR_NA0035_14_c_2012_22		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	23
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Erosion / Bank Caving		-122.006346 °
DWR ID	DWR_NA0035_14_c_2012_23		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Pintail Ave / Up (cont)			
Rating **	A	Issue No.	24
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Revetments		-122.006346 °
DWR ID	DWR_NA0035_14_c_2012_24		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	25
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248542 °
Item	Encroachments		-122.006378 °
DWR ID	DWR_NA0035_14_c_2012_25		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Pintail Ave / Down			
Rating **	A	Issue No.	26
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Vegetation & Obstructions		-122.006346 °
DWR ID	DWR_NA0035_14_c_2012_26		
Action/Comments			
Inspector Comments: Log jams, snags, vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 25% of the FCW.			

Photo 1 of 2 : CH_2014_NA0035_14_26_20140723_00016.jpg



A view lookingh downstream from Pintail Dr. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement


**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Pintail Ave / Down (cont)			
Rating **	A	Issue No.	26 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Vegetation & Obstructions		-122.006346 °
DWR ID	DWR_NA0035_14_c_2012_26		
Action/Comments			
Inspector Comments: Log jams, snags, vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 25% of the FCW.			



Rating **	A	Issue No.	27
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248501 °
Item	Shoaling / Sedimentation		-122.006345 °
DWR ID	DWR_NA0035_14_c_2012_27		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	28
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248500 °
Item	Erosion / Bank Caving		-122.006345 °
DWR ID	DWR_NA0035_14_c_2012_28		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Pintail Ave / Down (cont)			
Rating **	A	Issue No.	29
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248500 °
Item	Revetments		-122.006345 °
DWR ID	DWR_NA0035_14_c_2012_29		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	30
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.248542 °
Item	Encroachments		-122.006378 °
DWR ID	DWR_NA0035_14_c_2012_30		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Anderson Dr / Up			
Rating **	M	Issue No.	31
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.241561 °
Item	Vegetation & Obstructions		-122.012180 °
DWR ID	DWR_NA0035_14_c_2012_31		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 25% of the FCW.			

Photo 1 of 2 : CH_2014_NA0035_14_31_20140723_00017.jpg



A view looking upstream from Highway 12. (38.243757 -122.010557) Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement


**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Anderson Dr / Up (cont)			
Rating **	M	Issue No.	31 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.241561 °
Item	Vegetation & Obstructions		-122.012180 °
DWR ID	DWR_NA0035_14_c_2012_31		
Action/Comments			
Inspector Comments: Vegetation growth (such as cat tails, bull rushes, bushes or saplings) or other obstructions block approximately 25% of the FCW.			



Rating **	A	Issue No.	32
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.241561 °
Item	Shoaling / Sedimentation		-122.012180 °
DWR ID	DWR_NA0035_14_c_2012_32		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	33
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.241562 °
Item	Erosion / Bank Caving		-122.012180 °
DWR ID	DWR_NA0035_14_c_2012_33		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Anderson Dr / Up (cont)			
Rating **	N	Issue No. 34	GPS Lat/Long
Issue Type +	Ma	Location *	38.241562 °
Category	Rivers, Channels & Designated Flood		-122.012180 °
Item	Revetments		
DWR ID	DWR_NA0035_14_c_2012_34		
Action/Comments			
Inspector Comments: This item does not apply to this inspection.			

No Photos

Rating **	A	Issue No. 35	GPS Lat/Long
Issue Type +	Ma	Location *	38.241562 °
Category	Rivers, Channels & Designated Flood		-122.012180 °
Item	Encroachments		
DWR ID	DWR_NA0035_14_c_2012_35		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present.			

No Photos

Check Point / View			
Anderson Dr / Down			
Rating **	A	Issue No. 36	GPS Lat/Long
Issue Type +	Ma	Location *	38.241562 °
Category	Rivers, Channels & Designated Flood		-122.012180 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_14_c_2012_36		
Action/Comments			
Inspector Comments: Cattails should be sprayed or cleared 50 ft. to 100 ft. from road crossing.			

Photo 1 of 2 : CH_2014_NA0035_14_36_20140723_00019.jpg



Looking downstream towards Suisun Bay from Anderson Dr. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Anderson Dr / Down (cont)				
Rating **	A	Issue No.	36 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.241562 °
Category	Rivers, Channels & Designated Flood			-122.012180 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_14_c_2012_36			
Action/Comments				
Inspector Comments: Cattails should be sprayed or cleared 50 ft. to 100 ft. from road crossing.				

Photo 2 of 2 : CH_2014_NA0035_14_36_20140616_00010.jpg



Looking downstream towards Suisun Bay at Anderson Drive. (Summer 2013)

Rating **	A	Issue No.	37	GPS Lat/Long
Issue Type +	Ma	Location *		38.241563 °
Category	Rivers, Channels & Designated Flood			-122.012181 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_14_c_2012_37			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	38	GPS Lat/Long
Issue Type +	Ma	Location *		38.241563 °
Category	Rivers, Channels & Designated Flood			-122.012181 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_14_c_2012_38			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
McCoy Creek	1.00	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Anderson Dr / Down (cont)			
Rating **	N	Issue No.	39
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.241563 °
Item	Revetments		-122.012181 °
DWR ID	DWR_NA0035_14_c_2012_39		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	40
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.241288 °
Item	Encroachments		-122.012057 °
DWR ID	DWR_NA0035_14_c_2012_40		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

Flood Control Project Maintenance

Unit Cover Sheet

2014 Channel Inspection Results

Fairfield Suisun Sewer District

Channel
Union Avenue Diversion

Channel Rating	A
Date of Inspection	07/21/2014
DWR Inspector	John Williamson
Accompanied By	Kevin Cullen City of Fairfield

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
N. Texas St / Down				
Rating **	A	Issue No.	6	GPS Lat/Long
Issue Type +	Ma	Location *		38.280582 °
Category	Rivers, Channels & Designated Flood			-122.033912 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_6			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded. The palm trees should be removed.				

Photo 1 of 3 : CH_2014_NA0035_16_6_20140827_00015.jpg



Corrected issue at N. Texas St. 8-27-2014

Rating **	A	Issue No.	6 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.280582 °
Category	Rivers, Channels & Designated Flood			-122.033912 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_6			

Photo 2 of 3 : CH_2014_NA0035_16_6_20140723_00008.jpg



Looking downstream from N. Texas St. Remove palm tree and heavy vegetation. Summer 2014

Rating **	A	Issue No.	6 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.280582 °
Category	Rivers, Channels & Designated Flood			-122.033912 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_6			

Photo 3 of 3 : CH_2014_NA0035_16_6_20140616_00001.jpg



Looking downstream at N. Texas Street. Suggest removal of the palms. (Summer 2013)

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View
N. Texas St / Down (cont)

Rating **	A	Issue No.	7	GPS Lat/Long
Issue Type +	Ma	Location *		38.280577 °
Category	Rivers, Channels & Designated Flood			-122.033990 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_16_c_2012_7			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	8	GPS Lat/Long
Issue Type +	Ma	Location *		38.280577 °
Category	Rivers, Channels & Designated Flood			-122.033989 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_16_c_2012_8			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	9	GPS Lat/Long
Issue Type +	Ma	Location *		38.280576 °
Category	Rivers, Channels & Designated Flood			-122.033988 °
Item	Revetments			
DWR ID	DWR_NA0035_16_c_2012_9			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
N. Texas St / Down (cont)				
Rating **	A	Issue No.	10	GPS Lat/Long
Issue Type +	Ma	Location *		38.280582 °
Category	Rivers, Channels & Designated Flood			-122.033912 °
Item	Encroachments			
DWR ID	DWR_NA0035_16_c_2012_10			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Camrose Ave / Up				
Rating **	A	Issue No.	11	GPS Lat/Long
Issue Type +	Ma	Location *		38.281544 °
Category	Rivers, Channels & Designated Flood			-122.030546 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_11			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_16_11_20140723_00009.jpg



Looking upstream from Camrose Ave. Summer 2014

Photo 2 of 2 : CH_2014_NA0035_16_11_20140616_00002.jpg



Looking upstream at Camrose Avenue (Summer 2013)

Rating **	A	Issue No.	11 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.281544 °
Category	Rivers, Channels & Designated Flood			-122.030546 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_11			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View

Camrose Ave / Up (cont)

Rating **	A	Issue No.	12	GPS Lat/Long
Issue Type +	Ma	Location *		38.281544 °
Category	Rivers, Channels & Designated Flood			-122.030545 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_16_c_2012_12			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	13	GPS Lat/Long
Issue Type +	Ma	Location *		38.281544 °
Category	Rivers, Channels & Designated Flood			-122.030546 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_16_c_2012_13			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	14	GPS Lat/Long
Issue Type +	Ma	Location *		38.281668 °
Category	Rivers, Channels & Designated Flood			-122.030495 °
Item	Revetments			
DWR ID	DWR_NA0035_16_c_2012_14			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Camrose Ave / Up (cont)				
Rating **	A	Issue No.	15	GPS Lat/Long
Issue Type +	Ma	Location *		38.281668 °
Category	Rivers, Channels & Designated Flood			-122.030495 °
Item	Encroachments			
DWR ID	DWR_NA0035_16_c_2012_15			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Camrose Ave / Down				
Rating **	A	Issue No.	16	GPS Lat/Long
Issue Type +	Ma	Location *		38.281544 °
Category	Rivers, Channels & Designated Flood			-122.030543 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_16			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_16_16_20140723_00010.jpg



A view downstream from Camrose Ave. Summer 2014

Photo 2 of 2 : CH_2014_NA0035_16_16_20140616_00003.jpg



Looking downstream at Camrose Avenue. (Summer 2013)

Rating **	A	Issue No.	16 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.281544 °
Category	Rivers, Channels & Designated Flood			-122.030543 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_16			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View
Camrose Ave / Down (cont)

Rating **	A	Issue No.	17	GPS Lat/Long
Issue Type +	Ma	Location *		38.281545 °
Category	Rivers, Channels & Designated Flood			-122.030543 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_16_c_2012_17			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	18	GPS Lat/Long
Issue Type +	Ma	Location *		38.281545 °
Category	Rivers, Channels & Designated Flood			-122.030544 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_16_c_2012_18			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	19	GPS Lat/Long
Issue Type +	Ma	Location *		38.281546 °
Category	Rivers, Channels & Designated Flood			-122.030544 °
Item	Revetments			
DWR ID	DWR_NA0035_16_c_2012_19			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Camrose Ave / Down (cont)				
Rating **	A	Issue No.	20	GPS Lat/Long
Issue Type +	Ma	Location *		38.281668 °
Category	Rivers, Channels & Designated Flood			-122.030495 °
Item	Encroachments			
DWR ID	DWR_NA0035_16_c_2012_20			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Dover Ave / Up				
Rating **	A	Issue No.	21	GPS Lat/Long
Issue Type +	Ma	Location *		38.280944 °
Category	Rivers, Channels & Designated Flood			-122.025035 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_21			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_16_21_20140723_00011.jpg



A view looking upstream from Dover Ave. Summer 2014

Photo 2 of 2 : CH_2014_NA0035_16_21_20140616_00004.jpg



Looking upstream at Dover Avenue. (Summer 2013)

Rating **	A	Issue No.	21 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.280944 °
Category	Rivers, Channels & Designated Flood			-122.025035 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_21			

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View
Dover Ave / Up (cont)

Rating **	A	Issue No.	22	GPS Lat/Long
Issue Type +	Ma	Location *		38.280946 °
Category	Rivers, Channels & Designated Flood			-122.025034 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_16_c_2012_22			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	23	GPS Lat/Long
Issue Type +	Ma	Location *		38.280945 °
Category	Rivers, Channels & Designated Flood			-122.025035 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_16_c_2012_23			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

Rating **	A	Issue No.	24	GPS Lat/Long
Issue Type +	Ma	Location *		38.280946 °
Category	Rivers, Channels & Designated Flood			-122.025034 °
Item	Revetments			
DWR ID	DWR_NA0035_16_c_2012_24			
Action/Comments				
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Dover Ave / Up (cont)				
Rating **	A	Issue No.	25	GPS Lat/Long
Issue Type +	Ma	Location *		38.280990 °
Category	Rivers, Channels & Designated Flood			-122.024750 °
Item	Encroachments			
DWR ID	DWR_NA0035_16_c_2012_25			
Action/Comments				
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.				

No Photos

Check Point / View				
Dover Ave / Down				
Rating **	A	Issue No.	26	GPS Lat/Long
Issue Type +	Ma	Location *		38.280946 °
Category	Rivers, Channels & Designated Flood			-122.025034 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_26			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 1 of 2 : CH_2014_NA0035_16_26_20140723_00012.jpg



Looking downstream from Dover Ave. Summer 2014. Remove small woody vegetation.

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Dover Ave / Down (cont)			
Rating **	A	Issue No.	26 (cont)
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.280946 °
Item	Vegetation & Obstructions		-122.025034 °
DWR ID	DWR_NA0035_16_c_2012_26		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 2 of 2 : CH_2014_NA0035_16_26_20140616_00005.jpg



Looking downstream at Dover Avenue. (Summer 2013)

Rating **	A	Issue No.	27
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.280947 °
Item	Shoaling / Sedimentation		-122.025034 °
DWR ID	DWR_NA0035_16_c_2012_27		
Action/Comments			
Inspector Comments: No shoaling or sedimentation present.			

No Photos

Rating **	A	Issue No.	28
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.280947 °
Item	Erosion / Bank Caving		-122.025035 °
DWR ID	DWR_NA0035_16_c_2012_28		
Action/Comments			
Inspector Comments: No erosion encroaching into the channel.			

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Dover Ave / Down (cont)			
Rating **	A	Issue No.	29
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.280947 °
Item	Revetments		-122.025033 °
DWR ID	DWR_NA0035_16_c_2012_29		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	30
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.280990 °
Item	Encroachments		-122.024750 °
DWR ID	DWR_NA0035_16_c_2012_30		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Gulf Dr / Up			
Rating **	A	Issue No.	31
Issue Type +	Ma	Location *	GPS Lat/Long
Category	Rivers, Channels & Designated Flood		38.280937 °
Item	Vegetation & Obstructions		-122.020628 °
DWR ID	DWR_NA0035_16_c_2012_31		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_16_31_20140723_00013.jpg



A view looking upstream from Gulf Dr. Summer 2014

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Gulf Dr / Up (cont)				
Rating **	A	Issue No.	31 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.280937 °
Category	Rivers, Channels & Designated Flood			-122.020628 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_31			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_16_31_20140616_00006.jpg



Looking upstream at Gulf Drive. Sedimentation starting to obstruct low flow channel. (Summer 2013)

Rating **	A	Issue No.	32	GPS Lat/Long
Issue Type +	Ma	Location *		38.280937 °
Category	Rivers, Channels & Designated Flood			-122.020628 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_16_c_2012_32			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	33	GPS Lat/Long
Issue Type +	Ma	Location *		38.280937 °
Category	Rivers, Channels & Designated Flood			-122.020628 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_16_c_2012_33			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Gulf Dr / Up (cont)			
Rating **	A	Issue No. 34	GPS Lat/Long
Issue Type +	Ma	Location *	38.280937 °
Category	Rivers, Channels & Designated Flood		-122.020628 °
Item	Revetments		
DWR ID	DWR_NA0035_16_c_2012_34		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No. 35	GPS Lat/Long
Issue Type +	Ma	Location *	38.281002 °
Category	Rivers, Channels & Designated Flood		-122.020570 °
Item	Encroachments		
DWR ID	DWR_NA0035_16_c_2012_35		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

Check Point / View			
Gulf Dr / Down			
Rating **	A	Issue No. 36	GPS Lat/Long
Issue Type +	Ma	Location *	38.280937 °
Category	Rivers, Channels & Designated Flood		-122.020629 °
Item	Vegetation & Obstructions		
DWR ID	DWR_NA0035_16_c_2012_36		
Action/Comments			
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.			

Photo 1 of 2 : CH_2014_NA0035_16_36_20140723_00014.jpg



A view looking downstream from Gulf Dr. Summer 2014

*** Location**
LS : Land Side
WS : Water Side
CR : Crown

**** Rating**
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View				
Gulf Dr / Down (cont)				
Rating **	A	Issue No.	36 (cont)	GPS Lat/Long
Issue Type +	Ma	Location *		38.280937 °
Category	Rivers, Channels & Designated Flood			-122.020629 °
Item	Vegetation & Obstructions			
DWR ID	DWR_NA0035_16_c_2012_36			
Action/Comments				
Inspector Comments: Minimal, scattered obstructions or vegetation. The flow is not impeded.				

Photo 2 of 2 : CH_2014_NA0035_16_36_20140616_00007.jpg



Looking downstream towards Laurel Creek at Gulf Drive. (Summer 2013)

Rating **	A	Issue No.	37	GPS Lat/Long
Issue Type +	Ma	Location *		38.280938 °
Category	Rivers, Channels & Designated Flood			-122.020629 °
Item	Shoaling / Sedimentation			
DWR ID	DWR_NA0035_16_c_2012_37			
Action/Comments				
Inspector Comments: No shoaling or sedimentation present.				

No Photos

Rating **	A	Issue No.	38	GPS Lat/Long
Issue Type +	Ma	Location *		38.280938 °
Category	Rivers, Channels & Designated Flood			-122.020629 °
Item	Erosion / Bank Caving			
DWR ID	DWR_NA0035_16_c_2012_38			
Action/Comments				
Inspector Comments: No erosion encroaching into the channel.				

No Photos

* Location
LS : Land Side
WS : Water Side
CR : Crown

** Rating
A : Acceptable
M : Minimally Acceptable
U : Unacceptable
N : Not Inspected/Rated
C : Corrected
A/W : Acceptable but Monitor & Maintain

+ Issue Type
Ma : Maintenance Deficiency
Ob : Design & System Obsolescence
En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Channel 2014

Fairfield Suisun Sewer District

Channel	Channel Length	Inspection Start/End	Inspector
Union Avenue Diversion	0.75	07/21/2014 07/21/2014	John Williamson

Check Point / View			
Gulf Dr / Down (cont)			
Rating **	A	Issue No.	39
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Revetments		
DWR ID	DWR_NA0035_16_c_2012_39		
Action/Comments			
Inspector Comments: Existing riprap protection is properly maintained and is undamaged. Riprap clearly visible.			

No Photos

Rating **	A	Issue No.	40
Issue Type +	Ma	Location *	
Category	Rivers, Channels & Designated Flood		GPS Lat/Long
Item	Encroachments		
DWR ID	DWR_NA0035_16_c_2012_40		
Action/Comments			
Inspector Comments: No trash, debris, excavation, structures, or other obstructions present within the project easement area.			

No Photos

* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---